

4/14/2018

Print



Dart Hawkesbury  
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada  
Tel (613) 632-5200

## Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days
PO039511	TWM001-VU	4	1	Net 30	M6061T6T0.750W.125	6061-T6 Round Tube .750 X .125W : MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/8 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 40 82 OR AMS 4083 OR ASTM B210 OR ASTM B241 receive ft				12	4/12/2018	12		S061013	Stock	4/14/2018	\$ 9.20 / pcs	(
Total:										12		12						

Plex 4/14/2018 9:29 AM Dart, Dubois, Pascal



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# **PURCHASE ORDER** **PO039511**

**Supplier:** TWM001-VU  
TW Metals  
PO Box 933014  
Atlanta, GA 31193-3014 USA  
Phone: 585 768 5600  
Fax: 585 768 5601

**Ship To:** 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone: 613-632-5200

**PO No:** PO039511

**PO Date:** 4/4/18

**Due Date:** 4/12/18

**Purchase Order**  
**Revision:**

**Revision Date:**

**Ship-To Contact:** Lavoie, Chantal  
clavoie@dartaero.com

**Via:** Ground

**Pymt Terms:** Net 30

**Freight Terms:**

**Special Comments:**

**E-MAILED**  
APR 06 2018

## Items

Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1	M304TR0.500W.035		304 Round Tube .500 X .035W : MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING AS PER ASTM A213 OR ASME SA213 OR ASTM A269 receive ft	Firmed	4/12/18	80 pcs	0 pcs	80 pcs	\$1.8422/pcs	\$147.38
2	M4130NT0.750W.049		4130 Round Tube .750 X.049W : MATERIAL: AISI 4130N STEEL TUBING AS PER MIL-T-6736 OR AMS 6371/6360/6361/6362 6373/6374 receive ft	Firmed	4/12/18	20 pcs	0 pcs	20 pcs	\$11.4754/pcs	\$229.51
3	M4130NT0.750W.083		4130 Round Tube .750 X.083W : MATERIAL: AISI 4130N STEEL TUBING AS PER MIL-T-6736 OR AMS 6371/6360/6361/6362 6373/6374 receive ft	Firmed	4/12/18	20 pcs	0 pcs	20 pcs	\$5.03/pcs	\$100.60
4	M6061T6T0.750W.125		6061-T6 Round Tube .750 X .125W : MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/8 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 40 82 OR AMS 4083 OR ASTM B210 OR ASTM B241 receive ft	Firmed	4/12/18	12 pcs	0 pcs	12 pcs	\$9.20/pcs	\$110.40

**Grand Total:** \$587.88

## Order Notes

## Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

CL

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Plex 4/4/18 3:15 PM dart.lavoie.chantal



O'Neal High-Performance Metals Group



# Packing Slip

ORDER NO.: 80924759 FROM: CHIC PAGE 1

CUST NUMBER: 1203820 NET WGT: 3.463 REQ.DATE: 04/12/18 CONFIRMED  
 SOLD TO: SHIP TO:  
 DART AEROSPACE LTD DART AEROSPACE LTD  
 1270 ABERDEEN ST 1270 ABERDEEN ST  
 HAWKESBURY ON HAWKESBURY ON  
 CANADA CN K6A 1K7 ONTARIO CANADA CN K6A 1K7

SALESPERSON: DONNA SMALLEY SHIP BY: 04/10/18  
 TERMS: NET 30 DAYS VIA: FED-EX GROUND  
 F.O.B.: SHIPPING POINT FREIGHT: PREPAID  
 CUST ORD NO.: PO039511 RELEASE NO.:  
 RECEIVING PHONE:

LINE	ITEM DESCRIPTION	WIDTH	LENGTH
0001 42891	D6061-T6 3/4 OD X .125 WA		12 FT ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
	12.000 FT	12.000 FT	12.000 FT	3.463	2

\*\* 1 TEST REPORTS REQUIRED \*\*  
 \*\* 1 CERTS REQUIRED \*\*

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00  
 PO:49380600 HT:F002584980003 PC: 2 CUSTOMER QTY: UOM  
 MLT:UNITED STATES MFG:UNITED STATES SLB/CL:224805

BROKERS KUEHNE AND NAGEL LTD

AREA		TYPE OF PKG		PACK INFO		WIDTH		LENGTH		HGHT	
FEDXGRD	CARTON	PKGS	GRS WEIGHT	1.000	5.000			6.3330			

BY: KB  
 RT 000-

UNLOAD TYPE: NONE SPECIFIED

DATE SHIPPED \_\_\_\_\_

**THANK YOU FOR THIS ORDER**

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE  
 PRODUCTS ARE SET FORTH ON OUR WEBSITE FOR YOUR CAREFUL  
 REVIEW.  
<http://www.twmetals.com/invoice-terms.html>



O'Neal High-Performance Metals Group



**Packing  
Slip**

ORDER NO.: 80924759

FROM: CHIC

PAGE 2

CUST NUMBER: 1203820 NET WGT: 3.463 REQ.DATE: 04/12/18 CONFIRMED  
SOLD TO: SHIP TO:  
DART AEROSPACE LTD DART AEROSPACE LTD  
1270 ABERDEEN ST 1270 ABERDEEN ST  
HAWKESBURY ON HAWKESBURY ON  
CANADA CN K6A 1K7 ONTARIO CANADA CN K6A 1K7

SALESPERSON: DONNA SMALLEY SHIP BY: 04/10/18  
TERMS: NET 30 DAYS 235 TUBEWAY  
F.O.B.: SHIPPING POINT CAROL STREAM IL 60188  
CUST ORD NO.: PO039511  
VIA: FED-EX GROUND  
FREIGHT: PREPAID  
RELEASE NO.:  
RECEIVING PHONE:

"TW Metals MSDS data is available on our web site at [www.twmetals.com](http://www.twmetals.com). MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

**"CERTIFICATE OF CONFORMANCE"**

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for coniferous non-manufactured wood packing material"

Authorized Test Report Clerk Kathy Zachnik Date: 4/10/18

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.

**THANK YOU FOR THIS ORDER**

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE  
PRODUCTS ARE SET FORTH ON OUR WEBSITE FOR YOUR CAREFUL  
REVIEW.  
<http://www.twmetals.com/invoice-terms.html>

# KAISER ALUMINUM

FABRICATED PRODUCTS

*Best in Class*

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: M49380600-1		CUSTOMER PART NUMBER: 42891		PRODUCT DESCRIPTION: Drawn Seamless Tube/Pipe	
KAISER ORDER NUMBER: 224805	LINE ITEM: 001	SHIP DATE: 01/02/2018	KAISER LOT NUMBER: F00258498	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 1798.000 LB	QUANTITY: 518.000 PCS	B/L NUMBER: 228002	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO:  TW METALS INC 235 WEST TUBEWAY DRIVE CAROL STREAM, IL 60188 USA			SOLD TO:  TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA		

### Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00258498	0001	1	46.4	40.1	22.0	N/A	N/A	N/A
F00258498	0002	1	47.6	42.9	20.0	N/A	N/A	N/A
F00258498	0003	1	47.5	42.8	19.0	N/A	N/A	N/A

### Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D20791	.61	.29	.22	.05	1.01	.07	.06	.03	.00	.00	.00	.01	.02

### Applicable Requirements:

Description: OD: 0.7500"; Wall: 0.1250"; Round @  
AMS4082P, AMS-WW-T-700/6C ASTM B210-12 WW-T-700/6F  
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS4082P, WAS NOT OILED.  
This Product Complies to FAR BAA, DFARS BAA, FAR TAA  
COMPLIES TO DIN EN 10204 JAN 2005  
No Weld Repair. Mercury Free.



### Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA  
MATERIAL COMPLIES WITH FAR BAA (FAR 52.225-1, BUY AMERICAN ACT- SUPPLIES), DFARS BAA  
(DFARS 252.225-7001 BUY AMERICAN ACT & BAL OF PAYMENTS PROG), AND FAR TAA (FAR 52.225-5  
TRADE AGREEMENTS).

Plant Serial: 00027001  
Kaiser Order Number: 224805  
Line Item: 001

**KAISER**  
**ALUMINUM**  
**FABRICATED PRODUCTS**

*Best in Class*

**CERTIFIED TEST REPORT**

<http://Online.KaiserAluminum.com>


KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Hans Kattentidt, Quality Manager

*[Signature]*



Plant Serial: 00027001

Kaiser Order Number: 224805

Line Item: 001

*AK*

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 160614610.750W.125 PO / BATCH NO.: 039511/5061013  
 DATE: APR 14 2018

MATERIAL CERT REC'D: yes THICKNESS ORDERED: W.125  
 QUANTITY RECEIVED: 12 THICKNESS RECEIVED: W.125  
 QUANTITY INSPECTED: 12 SHEET SIZE ORDERED: N/A  
 QUANTITY REJECTED: 0 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL PER M-DRAWING	(Y) N	WU-4-200/6
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT REF # TO LINK CERT	(Y) N	Heat # 1002584980003
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	


CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

*testers located in the Quality Office*

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>DAS 11</u>		SIGNED OFF BY: _____	
DATE: <u>9-89 APR 14 2018</u>		DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in





PURCHASE MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING

SPECIFICATION: WW-T-700/6 OR QQ-A-225/8 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241

PART NUMBER: M6061T6T[D.DDD]W[T.TTT] OD [WALL]

WHERE "D.DDD" = OD IN INCHES  
 "T.TTT" = WALL THICKNESS  
 EG. 3.8" OD X 0.058 WALL = M6061T6T0.375W0.058

MATERIAL TOLERANCE: PER ANSI H35.2

RELEASED  
 2013-07-02

C	COMPLETE REFORMAT, ADDED T6510 & T6511, ADDED AMS 4083, ASTM B210 & ASTM B241, ADDED MATERIAL TOLERANCE	AJS	13.06.12
B	ADD QQ-A-200/8 & QQ-A-225/8	CP	04.01.23
A	NEW ISSUE	DS	01.06.21
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS		
DRAWN	AJS		
CHECKED	W		
MFG. APPR.	W		
APPROVED	W		
DE APPR			
DATE	13.06.12		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. M6061T6T REV. C SHEET 1 OF 1 TITLE 6061-T6 TUBING SCALE NTS COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS THE PROPERTY OF DART AEROSPACE LTD. IT IS TO BE USED FOR ANY PURPOSE OR FOR ANY REASON TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.			